| ML           | Expectation:                                     | Sample Problem / Explanation                    | Pacing | Assessment | Resources |
|--------------|--|---|--------|------------|-----------|
| Operat       | ions and Algebraic Thinking                      |   |        |            |           |
| 5.0A         | Write and Interpret numerical expressions        |   |        |            |           |
| 1            | 1. Use parentheses, brackets, or braces in       | {5(2+3) + 7(5-1)}                               |        |            |           |
|              | numerical expression, and evaluate               |   |        |            |           |
|              | expressions with these symbols.                  |   |        |            |           |
| 1            | 2. Write simple expressions that record          | Express the calculation "add 8 and 7, then      |        |            |           |
|              | calculations with numbers, and interpret         | multiply by 2" as $2x(8+7)$ . Recognize that    |        |            |           |
|              | numerical expressions without evaluating         | 3x(18932+921) is three times as large as        |        |            |           |
|              | them.  | 18932+921, without having to calculate the      |        |            |           |
|              |  | indicated sum or product.                       |        |            |           |
| 5.0A         | Analyze patterns and relationships               |   |        |            |           |
| 1            | 3. Generate two numerical patterns using         | Given the rule "Add 3" and the starting         |        |            |           |
|              | two given rules. Identify apparent               | number 0, and given the rule "Add 6" and the    |        |            |           |
|              | relationships between corresponding terms.       | starting number 0, generate terms in the        |        |            |           |
| 1            | 4. Form ordered pairs consisting of              | resulting sequences.                            |        |            |           |
|              | corresponding terms from the two patterns,       | Observe that the terms in one sequence are      |        |            |           |
|              | and graph the ordered pairs on a coordinate      | twice the corresponding terms in the other      |        |            |           |
|              | plane.   | sequence. Explain informally why this is so.    |        |            |           |
| Numbe        | r and Operations in Base Ten                     |   |        |            |           |
| <b>5.NBT</b> | Understand the place value system                |   |        |            |           |
| 1            | 1. Recognize that in a multi-digit number, a     | In the number 333, the 3 in the tens place is   |        |            |           |
|              | digit in one place represents 10 times as        | ten times bigger than the 3 in the ones place   |        |            |           |
|              | much as it represents in the place to its right  | and $1/10$ as big as the number in the hundreds |        |            |           |
|              | and $1/10$ of what it represents in the place to | place.  |        |            |           |
|              | its left.  |   |        |            |           |
| 1            | 2. Explain patterns in the number of zeros       | 3x10=30; 3x100=300; 3x1000=3000                 |        |            |           |
|              | of the product when multiplying a number         |   |        |            |           |
|              | by powers of 10.                                 |   |        |            |           |
| 1            | 3. Explain patterns in the placement of the      | 0.32x10=3.2; 0.32x100=32                        |        |            |           |
|              | decimal point when a decimal is multiplied       | 0.32÷10=0.032; 0.32÷100=0.0032                  |        |            |           |
|              | or divided by a power of 10.                     |   |        |            |           |
|              |  |   |        |            |           |
|              |  |   |        |            |           |

| Mastery Level (ML) Codes: | 1=Standard should be taught in de | pth: 2=Students need a | basic foundation; 3=If time permits |
|---------------------------|-----------------------------------|------------------------|-------------------------------------|
|                           |                                   |                        |                                     |

| ML | Expectation:   | Sample Problem / Explanation           | Pacing | Assessment | Resources |
|----|--|--|--------|------------|-----------|
| 2  | 4. Use whole-number exponents to denote  | $10^2 = 100; 10^3 = 1000$              |        |            |           |
|    | powers of 10.  |  |        |            |           |
| 1  | 5. Read, write, and compare decimals to  | 347.392=3x100+4x10+7x1+3x(1/10)+       |        |            |           |
|    | thousandths.   | 9x(1/100) + 2x(1/1000)                 |        |            |           |
|    | 5a. Read and write decimals to thousandths   |  |        |            |           |
|    | using base-ten numerals, number names,   |  |        |            |           |
|    | and expanded form.   |  |        |            |           |
| 1  | 5b. Compare two decimals to thousandths  |  |        |            |           |
|    | based on meanings of the digits in each  |  |        |            |           |
|    | place, using <, =, > symbols to record the   |  |        |            |           |
|    | results of the comparison.   |  |        |            |           |
| 1  | 6. Use place value understanding to round  |  |        |            |           |
|    | decimals to any place.   |  |        |            |           |
|    | Perform operations with multi-digit whole n  | umbers and with decimals to hundredths |        | 1 1        |           |
| 1  | 7. Fluently multiply multi-digit whole   |  |        |            |           |
|    | numbers using the standard algorithm.  |  |        |            |           |
| 1  | 8. Find whole-number quotients of whole  |  |        |            |           |
|    | numbers with up to four-digit dividends and  |  |        |            |           |
|    | two-digit divisors, using strategies based on  |  |        |            |           |
|    | place value, the properties of operations,   |  |        |            |           |
|    | and /or the relationship between   |  |        |            |           |
|    | multiplication and division. Illustrate and  |  |        |            |           |
|    | explain the calculation by using equations,  |  |        |            |           |
| 1  | rectangular arrays, and/or area models.  |  |        |            |           |
| 1  | 9. Add, subtract, multiply, and divide   |  |        |            |           |
|    | decimals to hundredths, using concrete<br>models or drawings and strategies based on |  |        |            |           |
|    | place value, properties of operations, and/or  |  |        |            |           |
|    | the relationship between addition and  |  |        |            |           |
|    | subtraction; relate the strategy to a written  |  |        |            |           |
|    | method and explain the reasoning used.   |  |        |            |           |
|    | method and explain the reasoning used.   |  |        |            |           |
|    |  |  |        |            |           |
|    |  |  |        |            |           |
|    |  |  |        |            |           |

| ML  | Expectation:   | Sample Problem / Explanation   | Pacing       | Assessment | Resources |  |  |  |
|---|--|--|--------------|------------|-----------|--|--|--|
| Numbe   | Number and Operations-Fractions  |  |              |            |           |  |  |  |
| 5.NF Use equivalent fractions as a strategy to add and subtract fractions |  |  |              |            |           |  |  |  |
| 1   | 1. Add and subtract fractions with unlike                                    | 2/3 + 5/4 = 8/12 + 15/12 = 23/12   |              |            |           |  |  |  |
|   | denominators (including mixed numbers)                                       | In general, $a/b + c/d = (ad + bc)/bd$ .                                       |              |            |           |  |  |  |
|   | by replacing given fractions with equivalent                                 |  |              |            |           |  |  |  |
|   | fractions in such a way as to produce an                                     |  |              |            |           |  |  |  |
|   | equivalent sum or difference of fractions                                    |  |              |            |           |  |  |  |
|   | with like denominators.  |  |              |            |           |  |  |  |
| 1   | 2. Solve word problems involving addition                                    |  |              |            |           |  |  |  |
|   | and subtraction of fractions referring to the                                |  |              |            |           |  |  |  |
|   | same whole, including cases of unlike  |  |              |            |           |  |  |  |
|   | denominators.  |  |              |            |           |  |  |  |
| 2   | 3. Use benchmark fractions and number  | Recognize an incorrect result $2/5 + 1/2 = 3/7$ ,                              |              |            |           |  |  |  |
|   | sense of fractions to estimate mentally and                                  | by observing that $3/7 < 1/2$ .  |              |            |           |  |  |  |
|   | assess the reasonableness of answers.  |  |              |            |           |  |  |  |
| 5.NF  |  | of multiplication and division to multiply and d                               | livide fraci | tions      |           |  |  |  |
| 1   | 4. Interpret a fraction as division of the                                   | Interpret $3/4$ as the result of dividing 3 by 4,                              |              |            |           |  |  |  |
|   | numerator by the denominator $(a/b=a\div b)$ .                               | noting that 3/4 multiplied by 4 equals 3, and                                  |              |            |           |  |  |  |
|   | Solve word problems involving division of                                    | that when 3 wholes are shared equally among                                    |              |            |           |  |  |  |
|   | whole numbers leading to answers in the                                      | 4 people each person has a share of size 3/4.                                  |              |            |           |  |  |  |
|   | form of fractions or mixed numbers.  | If 9 people want to share a 50-pound sack of                                   |              |            |           |  |  |  |
|   |  | rice equally by weight, how many pounds of                                     |              |            |           |  |  |  |
|   |  | rice should each person get? Between what                                      |              |            |           |  |  |  |
| 1   | 5 Apply and autond provides  | two whole numbers does your answer lie?<br>Use a visual fraction model to show |              |            |           |  |  |  |
| 1   | 5. Apply and extend previous<br>understandings of multiplication to multiply | $(2/3) \ge 4 = 8/3$ , and create a story context for                           |              |            |           |  |  |  |
|   | <u>a fraction or whole number by a fraction.</u>                             | $(2/3) \times 4 = 6/3$ , and create a story context for this equation.         |              |            |           |  |  |  |
|   | 5a. Interpret the product (a/b) x q as a parts                               | Do the same with $(2/3) \ge (4/5) = 8/15$ .                                    |              |            |           |  |  |  |
|   | of a partition of q into b equal parts;                                      | In general, $(a/b) \times (c/d) = ac/bd$ .                                     |              |            |           |  |  |  |
|   | equivalently, as the result of a sequence of                                 | In general, $(a,b) \times (c,d) = ac/bd$ .                                     |              |            |           |  |  |  |
|   | operations a x $q \div b$ .  |  |              |            |           |  |  |  |
|   | operations a x q . o.  |  |              |            |           |  |  |  |
|   |  |  |              |            |           |  |  |  |
|   |  |  |              |            |           |  |  |  |
| L   | I  |  | 1            |            |           |  |  |  |

| ML | Expectation:                                   | Sample Problem / Explanation                          | Pacing | Assessment | Resources |
|----|--|---|--------|------------|-----------|
| 1  | 5b. Find the area of a rectangle with          |   |        |            |           |
|    | fractional side lengths by tiling it with unit |   |        |            |           |
|    | squares of the appropriate unit fraction side  |   |        |            |           |
|    | lengths, and show that the area is the same    |   |        |            |           |
|    | as would be found by multiplying the side      |   |        |            |           |
|    | lengths. Multiply fractional side lengths to   |   |        |            |           |
|    | find areas of rectangles, and represent        |   |        |            |           |
|    | fraction products as rectangular areas.        |   |        |            |           |
| 1  | 6. Interpret multiplication as scaling         |   |        |            |           |
|    | (resizing), by:                                |   |        |            |           |
|    | 6a. Comparing the size of a product to the     |   |        |            |           |
|    | size of one factor on the basis of the size of |   |        |            |           |
|    | the other factor, without performing the       |   |        |            |           |
|    | indicated multiplication.                      |   |        |            |           |
| 1  | 6b. Explaining why multiplying a given         |   |        |            |           |
|    | number by a fraction greater that 1 results    |   |        |            |           |
|    | in a product greater than the given number;    |   |        |            |           |
|    | explaining why multiplying a given number      |   |        |            |           |
|    | by a fraction less than 1 results in a product |   |        |            |           |
|    | smaller that the given number; and relating    |   |        |            |           |
|    | the principle of fraction equivalence $a/b =$  |   |        |            |           |
|    | (nxa)/(nxb) to the effect of multiplying a/b   |   |        |            |           |
|    | by one.  |   |        |            |           |
| 1  | 7. Solve real world problems involving         |   |        |            |           |
|    | multiplication of fractions and mixed          |   |        |            |           |
|    | numbers, e.g., by using visual fraction        |   |        |            |           |
|    | models/equations to represent the problem.     |   |        |            |           |
| 1  | 8. Apply and extend previous                   | Create a story context for $(1/3) \div 4$ , and use a |        |            |           |
|    | understandings of division to divide unit      | visual fraction model to show the quotient.           |        |            |           |
|    | fractions by whole numbers and whole           | Use the relationship between multiplication           |        |            |           |
|    | numbers by unit fractions.                     | and division to explain that $(1/3) \div 4=1/12$      |        |            |           |
|    | 8a. Interpret division of a unit fraction by a | because $(1/12) \ge 4 = 1/3$ .                        |        |            |           |
|    | non-zero whole number, and compute such        |   |        |            |           |
|    | quotients.                                     |   |        |            |           |

| ML   | Expectation:  | Sample Problem / Explanation                          | Pacing      | <b>^</b>  | Resources |
|------|---|---|-------------|-----------|-----------|
| 1    | 8b. Interpret division of a whole number by         | Create a story context for $4 \div (1/5)$ , and use a |             |           |           |
|      | a unit fraction, and compute such quotients.        | visual fraction model to show the quotient.           |             |           |           |
|      |   | Use the relationship between multiplication           |             |           |           |
|      |   | and division to explain that $4 \div (1/5) = 20$      |             |           |           |
|      |   | because 20 $x(1/5)=4$ .                               |             |           |           |
| 1    | 8c. Solve real world problems involving             | How much chocolate will each person get if 3          |             |           |           |
|      | division of unit fractions by non-zero whole        | people share 1/2 lb. of chocolate equally?            |             |           |           |
|      | numbers and division of whole numbers by            | How many 1/3-cup servings are in 2 cups of            |             |           |           |
|      | unit fractions, e.g., by using visual fraction      | raisins?  |             |           |           |
|      | models and equations to represent the               |   |             |           |           |
|      | problem.  |   |             |           |           |
|      | rement and Data                                     |   |             |           |           |
| 5.MD | Convert like measurement units within a g           | iven measurement system                               |             | г – – – т |           |
| 1    | 1. Convert among different-sized standard           |   |             |           |           |
|      | measurement units within a given                    |   |             |           |           |
|      | measurement system (e.g., convert 5 cm to           |   |             |           |           |
|      | 0.05 m), and use these conversions in               |   |             |           |           |
|      | solving multi-step, real world problems.            |   |             |           |           |
| 5.MD | Represent and interpret data                        |   |             | ΓΓ        |           |
| 2    | 2. Make a line plot to display a data set of        | Given different measurements of liquid in             |             |           |           |
|      | measurements in fractions of a unit $(1/2,$         | identical beakers, find the amount of liquid          |             |           |           |
|      | 1/4, $1/8$ ). Use operations on fractions for       | each beaker would contain if the total amount         |             |           |           |
|      | this grade to solve problems involving              | in all the beakers were redistributed equally.        |             |           |           |
|      | information presented in line plots.                |   |             |           |           |
| 5.MD |   | pts of volume and relate volume to multiplication     | on and to a | uddition  |           |
| 1    | <u>3. Recognize volume as an attribute of solid</u> |   |             |           |           |
|      | figures and understand concepts of volume           |   |             |           |           |
|      | measurement.  |   |             |           |           |
|      | 3a. A cube with side length 1 unit, called a        |   |             |           |           |
|      | "unit cube," is said to have "one cubic unit"       |   |             |           |           |
|      | of volume. Can be used to measure volume.           |   |             |           |           |
|      | 3b. A solid figure which can be packed              |   |             |           |           |
|      | without gaps or overlaps using n unit cubes         |   |             |           |           |
|      | is said to have a volume of n cubic units.          |   |             |           |           |

| Mastery Level (ML) | Codes: 1=Standard should be taught in depth; 2=Students need a basic foundation; 3=If time permits |
|--------------------|--|
|                    |  |

| ML | Expectation:   | Sample Problem / Explanation | Pacing | Assessment | Resources |
|----|--|------------------------------|--------|------------|-----------|
| 2  | 4. Measure volumes by counting unit cubes,                               |                              |        |            |           |
|    | using cubic cm, cubic in, cubic ft, and                                  |                              |        |            |           |
|    | improvised units.  |                              |        |            |           |
| 1  | 5. Relate volume to the operations of                                    |                              |        |            |           |
|    | multiplication and addition and solve real                               |                              |        |            |           |
|    | world and mathematical problems involving                                |                              |        |            |           |
|    | volume.  |                              |        |            |           |
|    | 5a. Find the volume of a right rectangular                               |                              |        |            |           |
|    | prism with whole-number side lengths by                                  |                              |        |            |           |
|    | packing it with unit cubes, and show that                                |                              |        |            |           |
|    | the volume is the same as would be found                                 |                              |        |            |           |
|    | by multiplying the edge lengths,   |                              |        |            |           |
|    | equivalently by multiplying the height by                                |                              |        |            |           |
|    | the area of the base. Represent threefold                                |                              |        |            |           |
|    | whole-number products as volumes, e.g., to                               |                              |        |            |           |
|    | represent the associative property of                                    |                              |        |            |           |
| 1  | multiplication.  |                              |        |            |           |
| 1  | 5b. Apply the formulas V= lxwxh and V=bxh for rectangular prisms to find |                              |        |            |           |
|    | volumes of right rectangular prisms with                                 |                              |        |            |           |
|    | whole-number edge lengths in the context                                 |                              |        |            |           |
|    | of solving real world and mathematical                                   |                              |        |            |           |
|    | problems.  |                              |        |            |           |
| 2  | 5c. Recognize volume as additive. Find                                   |                              |        |            |           |
| 2  | volumes of solid figures composed of two                                 |                              |        |            |           |
|    | non-overlapping right rectangular prisms by                              |                              |        |            |           |
|    | adding the volumes of the non-overlapping                                |                              |        |            |           |
|    | parts, applying this technique to solve real                             |                              |        |            |           |
|    | world problems.  |                              |        |            |           |
|    | I  |                              |        |            |           |
|    |  |                              |        |            |           |
|    |  |                              |        |            |           |
|    |  |                              |        |            |           |
|    |  |                              |        |            |           |

#### Geometry Graph points on the coordinate plane to solve real-world and mathematical problems 5.G1. Use a pair of perpendicular number lines, 1 called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., x-axis and x-coordinate, y-axis and y-coordinate). 2. Represent real world and mathematical 1 problems by graphing points in the first quadrant of the coordinate plane and interpret coordinate values of points in the context of the situation. Classify two-dimensional figures into categories based on their properties 5.G3. Understand that attributes belonging to a All rectangles have four right angles and 2 category of two-dimensional figures also squares are rectangles, so all squares have belong to all subcategories of that category. four right angles. 4. Classify two-dimensional figures in a 2 hierarchy based on properties. 5. Identify 3-dimensional figures. 2